



5


## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : <b>G02B</b>	<b>A2</b>	(11) International Publication Number: <b>WO 99/12057</b> (43) International Publication Date: 11 March 1999 (11.03.99)
(21) International Application Number: PCT/US98/18372 (22) International Filing Date: 3 September 1998 (03.09.98) (30) Priority Data: 08/929,234                      4 September 1997 (04.09.97)                      US (71)(72) Applicant and Inventor: LORINCZ, Andrew, E. [US/US]; 3628 Belle Meade Way, Mountain Brook, AL 35223-1508 (US). (74) Agents: BUSH, Kenneth, M. et al.; Veal & Associates, Suite 125, 200 Cahaba Park Circle, Birmingham, AL 35242 (US).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>Without international search report and to be republished upon receipt of that report.</i>

(54) Title: MICROSCOPE SLIDE

## (57) Abstract

A self-staining microscopic slide designed for immediate staining and viewing of cells in biological fluid and tissue samples, preferably with an epi-fluorescence microscope. The pre-prepared microscope slide (11) preferably has a supravital fluorescent stain (13) applied thereon, which is overlaid with a transparent film (16). During use, the film (16) is peeled back to expose the stain (13) so that a sample (14) can be applied thereon for intermixture therewith. The film (16) is then replaced over the stained sample to act as a cover slip for immediate viewing. The slide can include reference standards (19, 24) to facilitate microscope focusing and to allow measurements of cells and microorganisms. An alternate embodiment provides a flexible microscope slide (11) which can be folded over such that a viewing portion (12) of the slide (11) can be placed against a specimen (21) to obtain a sample directly therefrom.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## MICROSCOPE SLIDE

### Technical Field

The present invention relates to microscope slides. More particularly, the present invention relates to an improved microscope slide designed for supravital staining of biological fluids and tissues.

### Background Art

Presently used methods for analyzing biological specimens for cellular dysmorphology and microbial infection are both time consuming and costly. For example, tissue samples taken from patients, such as needle biopsies and aspirates, typically must be chemically fixed and stained, and oftentimes sectioned, and then prepared on microscope slides before they can be examined. Additionally, in many circumstances, biological samples must first be cultured before the processing steps mentioned above. Another problem concerns the resulting specimen itself, which is usually substantially altered by fixation and fragmentation during the preparation process.

Another problem concerns unnecessary procedures, which again waste time and resources. In a typical urinalysis, for example, a sample is obtained from a patient and subjected to a "dipstick" screening procedure. Light microscopic examination of the sediment following centrifugation of the urine specimen is then performed. If there are any abnormal results from these examinations, the sample is transferred to a laboratory for microbiological culture and antibiotic sensitivity studies, which typically take from 24 to 48 hours, or longer, to obtain the results. However, in many instances as much as 80% of the urine samples submitted for culture and sensitivity studies do not result in the detection of clinically significant bacterial presence, thus wasting valuable technician time and laboratory material resources. Furthermore, in rural areas or third world countries, samples must typically be transported to remote locations for

evaluation, which can magnify the problem due to additional time delays, plus additional transportation and handling costs. At present, there are no rapid (e.g. less than 5 minutes) on-site screening methods to ascertain whether further testing of a biological sample (e.g. urine) is necessary.

5           The present invention represents a departure from standard microbial and morphologic studies in the practice of clinical medicine by modifying microscope slides to be used as screening tools for on-site determination of possible infection or presence of cellular dysmorphology. The slides of the present invention avoid the time associated with preparing traditional slide preparations and they further provide a simpler and less expensive alternative to the currently utilized microscopy screening procedures, such as the Gram histochemical stain used to detect bacteria and other microorganisms; the potassium hydroxide (KOH) preparation used to screen for fungi and yeast; and the darkfield examination used to detect spirochetes and other microorganisms less than 1 micrometer ( $\mu\text{M}$ ) in diameter or size, such as mycoplasma, other mollicutes, legionella, etc.

15 **Disclosure of Invention**

It is an object of the present invention to provide a self-staining microscope slide adapted for supravital staining of cells in a biological fluid or tissue sample.

It is another object of the present invention to provide a self-staining microscope slide which allows for immediate on-site screening of a biological fluid or tissue sample.

20 It is another object of the present invention to provide a self-staining microscope slide which permits greatly enhanced visualization of the stained sample when viewed with an epifluorescent microscope.

It is another object of the present invention to provide a self-staining microscope slide which overcomes the problem of artifacts due to fixation and sample fragmentation.

It is another object of the present invention to provide a self-staining microscope slide which includes references to facilitate microscope focusing.

It is yet another object of the present invention to provide a microscope slide which is flexible to allow the slide to be folded over such that a viewing portion of the slide can be placed against a specimen to obtain a sample directly therefrom without the need of transferring devices or breakable glass components.

These and other objects of the present invention are accomplished through the use of a self-staining microscopic slide designed for immediate staining and viewing of cells in biological fluid and tissue samples, preferably with an epi-fluorescence microscope. The prepared microscope slide preferably has a supravital fluorescent stain applied thereon, which is overlaid with a transparent tape or film. During use, the film is peeled back to expose the stain so that a sample can be applied thereon for intermixture therewith. The film is then replaced over the stained sample to act as a cover slip for immediate viewing. Living cells and microorganisms are rendered dramatically visible and cellular dysmorphology can be readily ascertained. The time and cost associated with preparing a fixed and sectioned sample is completely avoided as well as the problem of artifacts and sample fragmentation found in fixed preparations. The slide can include reference standards to facilitate microscope focusing, and to allow measurements of cells and microorganisms. An alternate embodiment provides a flexible microscope slide which can be folded over such that a viewing portion of the slide can be placed against a specimen to obtain a sample directly therefrom without the need of transferring devices, thereby reducing biological hazards. This novel slide permits on-site, point-of-care screening in a matter of minutes of any biological fluid or tissue sample (e.g. urine, blood, sputum, spinal fluid, amniotic fluid, tears, needle aspirates, semen, tissue touch

preparations, plant sap, etc.) for presence of infectious agents (e.g. bacteria, including mycoplasma-sized mollicutes, spirochetes, fungi, parasites, etc.).

These and other objects and advantages of the invention will become apparent from the following detailed description of the preferred embodiment of the invention.

5

### **Brief Description of Drawings**

A microscope slide embodying features of the invention is described in the accompanying drawings which form a portion of this disclosure and wherein:

FIG. 1 is an exploded perspective view of the present invention.

FIG. 2 is a perspective view of the present invention illustrating the cover film peeled  
10 back so that a sample can be added to the slide.

FIG. 3 is a perspective view of an alternate embodiment of the present invention.

FIG. 4 is a cross-sectional view of the embodiment of FIG. 3.

FIG. 5 is a perspective view of another alternate embodiment of the present invention.

### **Modes for Carrying Out the Invention**

15

A more complete understanding of the present invention may be obtained by reference to the accompanying drawings. The present invention is a self-staining microscope slide designed for supravital staining of cells and microorganisms in a biological fluid or tissue sample, and adapted for immediate visual or instrumental examination of the stained cells. The American Heritage Dictionary of the English Language (3rd ed., 1992) defines  
20 "supravital" as relating to or capable of staining living cells after their removal from a living or recently dead organism. Thus, the present invention allows immediate, on-site staining of unfixed cells from a biological sample which can be immediately viewed for preliminary diagnosis of a plurality of conditions. Since supravital staining is incorporated in the prepared

slides, the time and cost of drying, chemical fixation, and/or sectioning of specimens may be completely avoided.

The preferred embodiment of the present invention, shown in FIGS. 1 and 2, comprises a microscope slide 11 having a viewing area 12, a dye 13 applied to the viewing area 12 for staining a biological sample 14, and a flexible transparent tape or film 16 attached to the slide 11 by means of a weak adhesive (not shown) such that the film 16 can be peeled back to expose the viewing area 12 for placement of the biological sample 14 thereon for intermixture with the dye 13, and replaced such that the stained sample can be viewed under a microscope. Alternatively, the dye 13 can be applied to the film 16 at a location opposite the viewing area 12 of the slide 11. For example, the dye may be admixed with the adhesive on the film.

The microscope slide can be either rigid or flexible. Rigid slides are well known in the art and typically comprise glass or hardened plastic; however, flexible slides are not previously known in the art. A flexible slide allows the slide 11 to be folded over or bent such that the viewing area 12 is presented to be touched directly to the specimen or suspected tissue lesion 21 (e.g. syphilitic chancre) in order to obtain a sample therefrom, as illustrated in FIG. 5. This removes the need for transferring means, such as a swab, and reduces the hazards and requirements for increased waste disposal of transfer equipment. The flexible slide is most appropriate for collecting specimens now examined by darkfield microscopy, e.g. in sexually transmitted disease clinic settings where glass slides and cover slips pose an added risk to the person collecting the specimen. The flexible slide also has the advantage of accessing difficult anatomical sites not readily reachable by a rigid slide or cover slip. Flexible slides preferably comprise a transparent plastic material, such as polycarbonates, cellular acetate, polyvinyl chlorides, or other polymers and polymer condensation products.

The preferred embodiment utilizes a plastic slide because it is lightweight and not as prone to breakage as glass slides. The plastic slides can be easily sterilized (e.g. via autoclave or microwave oven) for disposal. Additionally, these slides can be recycled to reduce biological wastes. The light weight feature of the plastic slides facilitates transport and storage. One surface side is preferably pitted, or roughened, to achieve a "frosted" appearance (not shown), a feature well known in the art. This has several benefits, including assisting in the application of the supravital stain by promoting its dispersion on and adherence to the slide surface, and allowing the slide to be easily marked for archival purposes.

The supravital dyes are preferably water soluble fluorochromes, such as acridine orange, acridine yellow, etc., in appropriately buffered concentrations. A fluorescence or epi-fluorescence microscope is required to view the fluorescent stained samples, and the latter if frosted slides are used because the frosted slide effects fluorescent light dispersion therethrough. By staining the sample with a fluorochrome and utilizing an epi-fluorescent microscope for viewing, the visualization of the structures in the sample is greatly enhanced compared to visualization with phase contrast or similar light microscopy. This is analogous to viewing the moon at night compared to viewing the moon during the day. The vital dye will diffuse into a living cell or microorganism, without killing the cell, and complex with macromolecules such as DNA, glycosaminoglycans, lipopolysaccharides, etc., which are present in the cell. The dye-macromolecule complexes are rendered fluorescent and can be visualized after excitation with appropriate light frequencies from mercury lamps, halogen lamps, tungsten lamps, etc.

The film 16 comprises a flexible transparent material having an adhesive on one side, such as Scotch™ brand tapes (3M Company), for placement over the frosted surface of the slide 11 such that the adhesive surface is in contact with the frosted surface of the slide. In an



alternate embodiment, the adhesive can be placed only along the margins of the film so that no adhesive overlaps the dye. The film 16 preferably has a portion 17 on at least one end having no adhesive thereon such that the portion 17 acts as a grip for handling the film 16. Film 16 can be applied only to the frosted surface of the slide 11, or it can be applied so that  
5 at least one end of film 16 overlaps the side or under surface of the slide 11 (not shown).

Other features which are beneficial include the addition of size references, such as fluorescent microspheres of known dimension (e.g. 1  $\mu$ M), to the surface of the slide or the film such that they coincide with the field of focus of the specimen. For example, the microspheres can be attached to the adhesive on the film or the microspheres may be placed  
10 in the dye before application of the dye to the slide such that they are held to the slide with the subsequently dried dye. Microspheres 24 applied to the surface of culture media 23 are illustrated in FIG. 4. This facilitates focusing the microscope and provides an internal reference standard for size, which is preserved for photomicrography or video image capture. Other reference standards, such as a sizing grid 19 or the like, can also be incorporated as by  
15 etching or photographic reproduction onto the surface of the slide or film to allow sizing and quantitation of cells, microorganisms or the like.

To prepare the self-staining slide of the preferred embodiment, a plastic microscope slide 11 having a predetermined size is selected. A dye 13, preferably a buffered fluorochrome such as acridine orange, is applied over a designated viewing area 12 of the  
20 "frosted" surface of the slide 11 and dried. The frosted surface has a greater surface area than a smooth surface, therefore providing a greater area for the dye to dry upon. Accordingly, a larger quantity of dye can be available for rehydration. As noted above, the dye may alternatively be incorporated into the adhesive on the film. The transparent film 16 is placed over the frosted surface of the slide 11. When the slide is ready to be used, the transparent

film 16 is peeled back to expose the viewing area 12 having the dye 13 thereon, a sample 14 of biological fluid (typically 25-50 microliters) or a tissue touch preparation is applied to the slide in the area containing the dye 13, and the adhesive film 16 is returned to its sealed state to act as a cover slip. In the case of a tissue touch preparation, the tissue sample, such as a  
5 sliver from a needle biopsy, is typically placed onto the slide and lightly compressed to expel tissue fluids containing cells and possible microorganisms onto the slide surface. Buffered solutions to promote rehydration of the vital dye can also be used. Microscope immersion oil is placed on the film 16 over the viewing area 12, and an epi-fluorescence microscope using typically a 40x or 100x oil immersion objective is used to view the sample.

10 Since the collected biological fluid sample (e.g. blood, urine, sputum, bronchial or gastric washings, spinal fluid, synovial fluid, cervical smear, semen, prostate secretion, tears, needle biopsy specimens, amniotic fluid, plant sap, etc.) is not dried or chemically fixed, the morphology and mobility of the intact cells and/or microorganisms is maintained. Nuclear morphology of the living cells is preserved for immediate visual (or image) analysis  
15 facilitating determination of the presence or absence of malignant dysmorphology. Similarly, the presence of abnormal macromolecular "storage" in cell (e.g. in amniotic fluid, white blood cells, cultured fibroblasts) can be readily observed. Although all DNA containing cells are non-specifically stained by the fluorochrome, the size, shape and movement patterns of any microorganisms present may be helpful in serving for preliminary identification of the  
20 microorganisms. Additionally, the presence or absence of viral inclusion bodies can also be observed, which is of some consequence in examining oral and nasal smears.

Another beneficial feature is to modify the slides for culture and/or transport by incorporating a well 22 having culture media 23 (e.g. Sabouraud's agar for fungi) therein, illustrated in FIGS. 3 and 4. Any sized or shaped well can be created. Furthermore, the dye

can be incorporated into the culture medium. The slide can be used for screening and then be transported to a central lab for culture and/or definitive identification.

Nowadays, with the availability of portable fluorescence microscopes that can even be powered by an automobile battery, the ability to use the slides can be readily adapted for field use in developing countries, rural clinics, mobile vans, etc. If visual screening confirms the presence of bacterial or fungal infection, or protozoan infestation, the same specially prepared slides that are used for on-site screening, can be used for specimen transfer. Such transfer to a peripheral or reference laboratory permits further culture as well as definitive identification via histochemical study or DNA analysis (e.g. PCR, ELISA, monoclonal antibody studies).

10 The slides preserve the microorganism intact and if the appropriate culture medium suited for optimal growth is incorporated into the slide, the need to take a second sample for culture is precluded and the need for subculturing by the reference lab may also be avoided. Furthermore, photomicrographs or digital imaging techniques can permanently capture what can be visualized in the epi-fluorescence microscope. Transmission of these digital images to  
15 remote central laboratories for evaluation is also a possibility.

By utilizing the slides in the operating room, examination of biopsy tissue touch preparations or needle biopsies might obviate the need for the expensive microtomes and cytotechnicians now required for present quick-frozen tissue section studies. Turnaround times for results would also be considerably faster. The delays between specimen collection  
20 and reporting of laboratory results do not exist when testing is conducted on-site, which permits immediate action by the physician once testing is completed. Thus, this methodology should significantly improve clinical practice guidelines for physicians ordering laboratory tests. For example, an uncentrifuged, supravital stained urine sample on the present slide can be immediately visualized with an epi-fluorescent microscope, allowing superior

visualization of the structures in the sample to substantially increase the accuracy of diagnosing urinary tract infections. The principle and methodology are scientifically accurate, reproducible, easily taught and easily learned; even by nonprofessional laboratorians. The slides can also be used to examine plant specimens, such as plant sap, for microbial infections and the like.

The slides of the present invention provide a simpler and less expensive alternative to the currently utilized microscopy screening procedures, such as the Gram histochemical stain used to detect bacteria and other microorganisms; the potassium hydroxide (KOH) preparation used to screen for fungi and yeast; and the darkfield examination used to detect spirochetes. Additionally, the slides permit detection of mycoplasma species and other mollicutes (smallest known bacteria that do not have cell walls), which cannot be visualized by standard light transmission microscopes.

Production cost of plastic and/or film vita-cult screening slides should be less expensive than the cost of producing glass microscope slides and glass cover slips. Chances for breakage and infecting clinical personnel should be diminished. The quantity of cultural media required is considerably less than now used in traditional petri dish culture plates or slant tube culture equipment. The weight of the slides is far less than that of glass slides or culture plates, thus facilitating transport and storage. Importantly, laboratory wastes is concomitantly reduced.

It is to be understood that the form of the invention shown is a preferred embodiment thereof and that various changes and modifications may be made therein without departing from the spirit of the invention or scope as defined in the following claims.

### Claims

1. An apparatus for staining a biological sample for viewing with a microscope, characterized by:

- a) a microscope slide (11) having a viewing area (12);
- b) a dye (13) for staining the biological sample (14); and
- c) a flexible transparent film (16) attached to said slide (11) with an adhesive such that said dye (13) is in contact with said viewing area (12) between said slide (11) and said film (16), wherein said film (16) can be removed to expose said viewing area (12) for placement of the biological sample (14) thereon and replaced such that the sample (14) can be viewed under the microscope.

2. An apparatus according to claim 1 wherein said slide (11) comprises a plastic material having a roughened surface.

3. An apparatus according to claim 1 wherein said dye (13) comprises a fluorochrome.

4. An apparatus according to claim 3 wherein said fluorochrome comprises acridine orange.

5. An apparatus according to claim 1 wherein said dye (13) comprises reference markers (24) to assist in focusing the microscope.

6. An apparatus according to claim 1 wherein said apparatus further comprises a reference standard for measuring the size and quantity of cells or microorganisms in the sample (14).

7. An apparatus according to claim 6 wherein said reference standard comprises a grid (19) printed on said film (16).

8. An apparatus according to claim 6 wherein said reference standard comprises a grid (19) printed on said slide (11).

9. An apparatus according to claim 1 wherein said viewing area (12) comprises a well (22) formed in said slide (11).

5 10. An apparatus according to claim 9 wherein said well (22) has culture media (23) therein.

11. An apparatus according to claim 10 wherein said culture media (23) has said dye mixed therewith.

10 12. An apparatus according to claim 1 wherein said slide (11) is flexible such that said slide (11) can be folded over such that said viewing area (12) can be placed against a specimen (21) to obtain a sample directly therefrom.

13. A microscope slide characterized by a flexible material wherein said slide (11) can be folded over such that a viewing portion (12) of said slide (11) can be placed against a specimen (21) to obtain a sample directly therefrom.

15 14. A microscope slide according to claim 13 wherein said flexible material is selected from the group consisting of polycarbonates, cellular acetate, or polyvinyl chlorides.



15. A microscope slide having a well (22) formed therein, said well (22) filled with culture media (23).

20 16. A microscope slide according to claim 15 wherein said culture media (23) has a dye mixed therewith.

17. A microscope slide according to claim 16 wherein said dye is a fluorochrome.

18. A microscope slide for immediate presentation of supravital specimens for viewing, characterized by:

- a) means for supporting (11) a specimen (14) for positioning within the viewing area of a microscope;
- b) flexible transparent means (16) for resealably covering a first surface of said supporting means (11) and said specimen (14) supported thereon;  
and
- c) means for fluorochrome staining (13) said specimen (14), said staining means (13) interspersed between said supporting means (11) and said flexible transparent means (16) such that placement of said specimen (14) on said supporting means (11) induces such staining.





2/2

FIG. 3




FIG. 4





FIG. 5






## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup>:</b>  <b>G02B 21/34</b>	<b>A3</b>	<b>(11) International Publication Number:</b> <b>WO 99/12057</b>  <b>(43) International Publication Date:</b> 11 March 1999 (11.03.99)
<b>(21) International Application Number:</b> PCT/US98/18372  <b>(22) International Filing Date:</b> 3 September 1998 (03.09.98)  <b>(30) Priority Data:</b> 08/929,234                      4 September 1997 (04.09.97)                      US  <b>(71)(72) Applicant and Inventor:</b> LORINCZ, Andrew, E. [US/US]; 3628 Belle Meade Way, Mountain Brook, AL 35223-1508 (US).  <b>(74) Agents:</b> BUSH, Kenneth, M. et al.; Veal & Associates, Suite 125, 200 Cahaba Park Circle, Birmingham, AL 35242 (US).		<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i>  <b>(88) Date of publication of the international search report:</b> 27 May 1999 (27.05.99)

**(54) Title:** MICROSCOPE SLIDE**(57) Abstract**

A self-staining microscopic slide designed for immediate staining and viewing of cells in biological fluid and tissue samples, preferably with an epi-fluorescence microscope. The pre-prepared microscope slide (11) preferably has a supravital fluorescent stain (13) applied thereon, which is overlaid with a transparent film (16). During use, the film (16) is peeled back to expose the stain (13) so that a sample (14) can be applied thereon for intermixture therewith. The film (16) is then replaced over the stained sample to act as a cover slip for immediate viewing. The slide can include reference standards (19, 24) to facilitate microscope focusing and to allow measurements of cells and microorganisms. An alternate embodiment provides a flexible microscope slide (11) which can be folded over such that a viewing portion (12) of the slide (11) can be placed against a specimen (21) to obtain a sample directly therefrom.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Larvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US98/18372

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : GO2B 21/34

US CL : 359/396,397,398

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 359/396,397,398

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched  
422/58; 427/2.11

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS search terms: microscope slide, fluorochrome, acridine, dye, well, cavity, acetate, polyvinyl chloride, polycarbonate, flexible

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 3,736,042 A (MARKOVITS et al) 29 May 1973 (29.05.73) columns 3-4.	15-17
X	US 3,991,705 A (ADLER) 16 November 1976 (16.11.76) col. 4, lines 49-67, and col. 5, lines 62-64.	13,14
A	US 3,532,412 A (MILLER) 06 October 1970 (06.10.70) entire document	1-12, 18

☐ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A* document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*E* earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*G* document member of the same patent family
*O* document referring to an oral disclosure, use, exhibition or other means	
*P* document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

03 MARCH 1999

Date of mailing of the international search report

11 MAR 1999

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

JOHN W. HENRY *m Lilly*  
Telephone No. (703) 305-6106

# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US98/18372

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:  
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☒ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.  
☐ No protest accompanied the payment of additional search fees.